



Author index to volume 295

Achiba, Y., see Ishihara, S. 295 (1998) 475

Adams, S.F. and T.A. Miller, Two-photon absorption laser-induced fluorescence of atomic nitrogen by an alternative excitation scheme 295 (1998) 305

Ågren, H., see Minaev, B. 295 (1998) 455

Allègre, J., see Lamrabte, A. 295 (1998) 257

Aoki, Y., see Yamazaki, T. 295 (1998) 431

Arthur, N.L. and L.A. Miles, Rate constants for $H + (CH_3)_{4-n}GeH_n$, $n = 1-3$ 295 (1998) 531

Asmis, K.R., T.R. Taylor and D.M. Neumark, Anion photoelectron spectroscopy of BN^- 295 (1998) 75

Backov, R., see Lamrabte, A. 295 (1998) 257

Bagryansky, V.A., V.I. Borovkov, Yu.N. Molin, M.P. Egorov and O.M. Nefedov, Quantum beats in the recombination fluorescence of radical ion pairs caused by the hyperfine coupling in radical anions 295 (1998) 230

Basu Kumar, A., N. Vaval and S. Pal, An extended coupled-cluster functional for molecular properties: study of an analytical and numerical approach 295 (1998) 189

Bloor, D., Dissolution and thermochromism of polydiacetylenes with chiral pendent groups 295 (1998) 63

Bondybey, V.E., see Kraus, D. 295 (1998) 285

Boon, G., F. De Proft, W. Langenaeker and P. Geerlings, The use of density functional theory-based reactivity descriptors in molecular similarity calculations 295 (1998) 122

Borovkov, V.I., see Bagryansky, V.A. 295 (1998) 230

Bowen, J.P., see Kirschner, K.N. 295 (1998) 204

Bowman, R.M., see Prater, K. 295 (1998) 82

Burrows, B.L. and M. Cohen, Accurate approximate analytical solutions for a double-well potential 295 (1998) 389

Carter, E.A., see Govind, N. 295 (1998) 129

Castell Marcos, O., see Pérez-Casany, M.P. 295 (1998) 181

Chen, B., see Curotto, E. 295 (1998) 366

Cheung, A.S.-C., see He, J. 295 (1998) 535

Choe, Y.-K., T. Hashimoto, H. Nakano and K. Hirao, Theoretical study of the electronic ground state of iron(II) porphine 295 (1998) 380

Clark, C.D., see Hynes, A.J. 295 (1998) 25

Cohen, M., see Burrows, B.L. 295 (1998) 389

Curotto, E., D.L. Freeman, B. Chen and J.D. Doll, The melting transition of Ni_7 and Ni_7H as modeled by a semi-empirical potential 295 (1998) 366

Da Silva, A.J.R., see Govind, N. 295 (1998) 129

De Belder, G., see Latterini, L. 295 (1998) 11

De Ménorval, L.-C., see Lamrabte, A. 295 (1998) 257

De Proft, F., see Boon, G. 295 (1998) 122

De Schryver, F.C., see Latterini, L. 295 (1998) 11

Dietrich, G., see Rousseau, R. 295 (1998) 41

Diller, R., Vibrational relaxation during the retinal isomerization in Bacteriorhodopsin 295 (1998) 47

Ding, A., see Kanzow, H. 295 (1998) 525

Doll, J.D., see Curotto, E. 295 (1998) 366

Drichko, N.V., see Semkin, V.N. 295 (1998) 266

Duncan, M.A., see Kirschner, K.N. 295 (1998) 204

Eckelt, J., see Yamaoka, H. 295 (1998) 245

Egorov, M.P., see Bagryansky, V.A. 295 (1998) 230

Elmidaoui, A., see Lamrabte, A. 295 (1998) 257

Endo, H., see Yamaoka, H. 295 (1998) 245

Epstein, I.R., see Kurin-Csörgei, K. 295 (1998) 70

Filatov, M. and W. Thiel, Tests of a density functional with Laplacian terms: activation barriers and bond-stretching energies 295 (1998) 467

Forró, L., see Kamarás, K. 295 (1998) 279

Freeman, D.L., see Curotto, E. 295 (1998) 366

Freund, W.L., see Prater, K. 295 (1998) 82

Garg, A. and S.B. Sinnott, Effect of chemical functionalization on the mechanical properties of carbon nanotubes 295 (1998) 273

Gdanitz, R.J., Corrigendum to "Accurately solving the electronic Schrödinger equation of atoms and molecules using explicitly correlated (r_{12} -)MR-CI: the ground state potential energy curve of N_2 ". [Chem. Phys. Lett. 283 (1998) 253] 295 (1998) 540

Geerlings, P., see Boon, G. 295 (1998) 122

Gerdts, T. and U. Manthe, A microscopic description of dissipation in systems with strong vibronic coupling: the S_1 and S_2 absorption spectra of pyrazine 295 (1998) 167

Govind, N., Y.A. Wang, A.J.R. da Silva and E.A. Carter, Accurate ab initio energetics of extended systems via explicit correlation embedded in a density functional environment 295 (1998) 129

Graja, A., see Semkin, V.N. 295 (1998) 266

Hashimoto, T., see Choe, Y.-K. 295 (1998) 380

He, J., C. Ma and A.S.-C. Cheung, Wavelength-resolved laser-induced fluorescence study of the $A^2\Pi$ - $X^2\Sigma$ transition of ZrN: vibrational constants of $A^2\Pi$ and $X^2\Sigma$ states 295 (1998) 535

Herrebout, W.A., A.A. Stolov, E.J. Sluyts and B.J. van der Veken, FTIR spectra of liquid argon/liquid nitrogen mixtures: evidence for the existence of a 1:1 bonded species $Ar \cdot N_2$ 295 (1998) 223

Hershberger, J.F., see Park, J. 295 (1998) 89

Hilczer, M. and M. Tachiya, Effect of solvent polarity on the potential of mean force between two molecular ions: MD simulation 295 (1998) 337

Hirao, K., see Choe, Y.-K. 295 (1998) 380

Hogiu, S., see Pfeiffer, M. 295 (1998) 56

Holloway, J.H., see Waclawik, E.R. 295 (1998) 289

Holmlid, L., see Wang, J. 295 (1998) 500

Hynes, A.J., R.C. Richter, A.R. Rosendahl and C.D. Clark, $S_2(a^1\Delta)$ production in the photolysis of reduced sulfides: production chemistry, spectroscopy and interference potential in the LIF detection of OH 295 (1998) 25

Ikemoto, I., see Ishihara, S. 295 (1998) 475

Illas, F., see Mele, F. 295 (1998) 409

Imamura, A., see Yamazaki, T. 295 (1998) 431

Ishihara, S., I. Ikemoto, S. Suzuki, K. Kikuchi, Y. Achiba and T. Kobayashi, Relaxation dynamics of photoexcitations in C_{60} films 295 (1998) 475

Itoh, K., see Ohkata, Y. 295 (1998) 17

Jabalameli, A., R. Venkatraman, A. Nowek and R.H. Sullivan, Molecular complexes of nitric acid with N_2 : a post Hartree-Fock quantum mechanical study 295 (1998) 135

Jabs, W., see Koput, J. 295 (1998) 462

Janot, J.-M., see Lamrabte, A. 295 (1998) 257

Jarvis, G.K. and R.P. Tuckett, On the adiabatic ionisation energy of the CF_3 free radical 295 (1998) 145

Jena, P., see Weber, S.E. 295 (1998) 175

Johann, C., S.H. Patil, K.T. Tang and J.P. Toennies, Asymptotic theory for the $^2\Sigma$ Van der Waals potentials of alkali dimer cations 295 (1998) 158

Jursic, B.S., Complete basis set ab initio computational study of unimolecular decomposition of dimethyl ether 295 (1998) 447

Kago, K., see Yamaoka, H. 295 (1998) 245

Kamarás, K., S. Pekker, L. Forró and D.B. Tanner, Infrared and optical spectra of polymerized AC_{60} fullerenes 295 (1998) 279

Kanaev, A.V., see Monticone, S. 295 (1998) 237

Kanzow, H., A. Schmalz and A. Ding, Laser-assisted production of multi-walled carbon nanotubes from acetylene 295 (1998) 525

Kato, H. and A. Kudo, New tantalate photocatalysts for water decomposition into H_2 and O_2 295 (1998) 487

Kikuchi, K., see Ishihara, S. 295 (1998) 475

Kirschner, K.N., B. Ma, J.P. Bowen and M.A. Duncan, Theoretical investigation of the Ca^+-N_2 and $Ca^{2+}-N_2$ complexes 295 (1998) 204

Kobayashi, T., see Ishihara, S. 295 (1998) 475

Kolb, D., see v. Kopylow, A. 295 (1998) 439

Konarev, D.V., see Semkin, V.N. 295 (1998) 266

Koput, J., W. Jabs and M. Winnewisser, An ab initio study on the equilibrium structure and torsional potential energy function of carbodiimide 295 (1998) 462

Kotani, M., see Ono, M. 295 (1998) 493

Kotani, M., see Ono, M. 295 (1998) 34

Kraus, D., R.J. Saykally and V.E. Bondybey, Cavity ringdown laser absorption spectra of tungsten oxide 295 (1998) 285

Krückeberg, S., see Rousseau, R. 295 (1998) 41

Kudo, A., see Kato, H. 295 (1998) 487

Kummrow, A., see Pfeiffer, M. 295 (1998) 56

Kumzerov, Yu.A., see Semkin, V.N. 295 (1998) 266

Kurin-Csörgei, K., M. Orbán, A.M. Zhabotinsky and I.R. Epstein, On the nature of patterns arising during polymerization of acrylamide in the presence of the methylene blue-sulfide-oxygen oscillating reaction 295 (1998) 70

Lamrabte, A., J.-M. Janot, A. Elmidaoui, P. Seta, L.-C. de Ménorval, R. Backov, J. Rozière, J.-L. Sauvajol and J. Allègre, Evidence of confinement of fullerene C_{60} in microporous VPI-5 zeolite 295 (1998) 257

Langenaeker, W., see Boon, G. 295 (1998) 122

Latterini, L., G. De Belder, G. Schweitzer, M. Van der Auweraer and F.C. De Schryver, Femtosecond polarized transient absorption spectroscopy of a C₃-symmetric amino-substituted phenylbenzene derivative 295 (1998) 11

Lau, A., see Pfeiffer, M. 295 (1998) 56

Lee, E.P.F., P. Soldán and T.G. Wright, The heat of formation of NaO⁺(X³Σ⁻) and NaO(X²Π) 295 (1998) 354

Legon, A.C., see Waclawik, E.R. 295 (1998) 289

Li, J.-S. and K. Nishioka, Steady state nucleation-flux profile in binary systems 295 (1998) 211

Lifshitz, E., I.D. Litvin, H. Porteanu and A.A. Lipovskii, Magneto-optical properties of CdS nanoparticles embedded in phosphate glass 295 (1998) 249

Lin, C.-E., see Tsai, C.-S. 295 (1998) 509

Lin, J.-C., see Tsai, C.-S. 295 (1998) 509

Lipovskii, A.A., see Lifshitz, E. 295 (1998) 249

Litvin, I.D., see Lifshitz, E. 295 (1998) 249

Lützenkirchen, K., see Rousseau, R. 295 (1998) 41

Lyubovskaya, R.N., see Semkin, V.N. 295 (1998) 266

Ma, B., see Kirschner, K.N. 295 (1998) 204

Ma, C., see He, J. 295 (1998) 535

Malrieu, J.-P., see Pérez-Casany, M.P. 295 (1998) 181

Manthe, U., see Gerdts, T. 295 (1998) 167

Marx, D., see Rousseau, R. 295 (1998) 41

Matsui, E., see Ohkata, Y. 295 (1998) 17

Matsuoka, H., see Yamaoka, H. 295 (1998) 245

Matsushima, R., see Tokumura, K. 295 (1998) 516

Mele, F., N. Russo and F. Illas, Theoretical study of the interaction of alkali-metal atoms with CO₂ 295 (1998) 409

Merchán, M., see Serrano-Andrés, L. 295 (1998) 195

Mila, F., see van Oosten, A.B. 295 (1998) 359

Miles, L.A., see Arthur, N.L. 295 (1998) 531

Miller, T.A., see Adams, S.F. 295 (1998) 305

Minaev, B., J. Vaara, K. Ruud, O. Vahtras and H. Ågren, Internuclear distance dependence of the spin-orbit coupling contributions to proton NMR chemical shifts 295 (1998) 455

Minehardt, T.J. and R.E. Wyatt, Quasi-classical dynamics of benzene overtone relaxation on an ab initio force field: 30-mode models of energy flow and survival probability for CH(*v* = 2) 295 (1998) 373

Molin, Yu.N., see Bagryansky, V.A. 295 (1998) 230

Møller, K.B. and A.H. Zewail, Femtosecond dynamics of transition states: the classical saddle-point barrier reactions 295 (1998) 1

Monticone, S., R. Tufeu and A.V. Kanaev, Spectroscopical characterization of TiO₂ powders prepared from stable colloidal solutions 295 (1998) 237

Nagaosa, K., see Tokumura, K. 295 (1998) 516

Nagata, T., see Tsukuda, T. 295 (1998) 416

Nakano, H., see Choe, Y.-K. 295 (1998) 380

Nakano, M. and K. Yamaguchi, Electron-photon field dynamics: a molecular aggregate interacting with an initially one-mode coherent photon field 295 (1998) 328

Nakano, M. and K. Yamaguchi, Quasiprobability distribution dynamics of an initially one-mode coherent photon field interacting with two- and three-state molecular systems 295 (1998) 317

Nebot-Gil, I., see Pérez-Casany, M.P. 295 (1998) 181

Nefedov, O.M., see Bagryansky, V.A. 295 (1998) 230

Neumark, D.M., see Asmis, K.R. 295 (1998) 75

Nishioka, K., see Li, J.-S. 295 (1998) 211

Nowek, A., see Jabalameli, A. 295 (1998) 135

Ohkata, Y., T. Tsuno, E. Matsui, H. Takanashi and K. Itoh, A combined method of multiple-reflection and optical-wave-guide Raman scattering spectroscopies for studying the electric-field-induced reorientation of a ferroelectric liquid crystal cell 295 (1998) 17

Ohta, Y., see Tokumura, K. 295 (1998) 516

Okumura, K. and Y. Tanimura, Two-dimensional THz spectroscopy of liquids: non-linear vibrational response to a series of THz laser pulses 295 (1998) 298

Ono, M. and M. Kotani, Ionization of molecular excitons detected by electron emission: coronene and α -perylene 295 (1998) 34

Ono, M. and M. Kotani, Time-resolved measurement of excitonic electron emission from a fluoranthene crystal 295 (1998) 493

Orbán, M., see Kurin-Csörgei, K. 295 (1998) 70

Pal, S., see Basu Kumar, A. 295 (1998) 189

Park, J. and J.F. Hershberger, Kinetics of the CN + OCS reaction 295 (1998) 89

Patil, S.H. and K.T. Tang, A simple method for polarizabilities and hyperpolarizabilities of alkali isoelectronic systems 295 (1998) 152

Patil, S.H., see Johann, C. 295 (1998) 158

Patterson, H.H., see Strasser, J. 295 (1998) 95

Pekker, S., see Kamarás, K. 295 (1998) 279

Pénicaud, A., see Taylor, R. 295 (1998) 481

Pérez-Casany, M.P., I. Nebot-Gil, J. Sánchez-Marín, O. Castell Marcos and J.-P. Malrieu, Vertical spectrum of ethene: uncontracted versus contracted correlation methods and the role of the adapted molecular orbitals 295 (1998) 181

Pernpointner, M. and P. Schwerdtfeger, Accurate nuclear quadrupole moments of the gallium isotopes ^{69}Ga and ^{71}Ga within the PCNQM model 295 (1998) 347

Pfeiffer, M., W. Werncke, S. Hogiu, A. Kummrow and A. Lau, Strong vibronic coupling in the first excited singlet state of diphenylhexatriene by an asymmetric low-frequency mode 295 (1998) 56

Podgornik, R., see Ziherl, P. 295 (1998) 99

Porteanu, H., see Lifshitz, E. 295 (1998) 249

Prater, K., W.L. Freund and R.M. Bowman, Ultrafast investigations of the photophysics of 4-phenylbenzophenone in solution 295 (1998) 82

Pupyshev, V.I. and A.V. Scherbinin, The Lenz vector in the confined hydrogen atom problem 295 (1998) 217

Ramasami, T., see Subramanian, V. 295 (1998) 312

Rao, B.K., see Weber, S.E. 295 (1998) 175

Reddy, B.V., see Weber, S.E. 295 (1998) 175

Richter, R.C., see Hynes, A.J. 295 (1998) 25

Roos, B.O., see Serrano-Andrés, L. 295 (1998) 195

Rosendahl, A.R., see Hynes, A.J. 295 (1998) 25

Rousseau, R., G. Dietrich, S. Krückeberg, K. Lützenkirchen, D. Marx, L. Schweikhard and C. Walther, Probing cluster structures with sensor molecules: methanol adsorbed onto gold clusters 295 (1998) 41

Rozière, J., see Lamrabte, A. 295 (1998) 257

Rubio, M., see Serrano-Andrés, L. 295 (1998) 195

Russo, N., see Mele, F. 295 (1998) 409

Ruud, K., see Minaev, B. 295 (1998) 455

Saeki, M., see Tsukuda, T. 295 (1998) 416

Samuels, D.A. and R.B. Weisman, A new photometric method for directly determining molar absorptivity-quantum yield products of excited states: application to triplet C₆₀ 295 (1998) 105

Sánchez-Marín, J., see Pérez-Casany, M.P. 295 (1998) 181

Sauvajol, J.-L., see Lamrabte, A. 295 (1998) 257

Saykally, R.J., see Kraus, D. 295 (1998) 285

Scherbinin, A.V., see Pupyshev, V.I. 295 (1998) 217

Schmalz, A., see Kanzow, H. 295 (1998) 525

Schweikhard, L., see Rousseau, R. 295 (1998) 41

Schweitzer, G., see Latterini, L. 295 (1998) 11

Schwerdtfeger, P., see Pernpointner, M. 295 (1998) 347

Semkin, V.N., N.V. Drichko, Yu.A. Kumzerov, D.V. Konarev, R.N. Lyubovskaya and A. Graja, The orientational-ordering transition in single crystals of selected C₆₀ complexes with organic donors followed by infrared spectroscopy 295 (1998) 266

Serrano-Andrés, L., M. Merchán, M. Rubio and B.O. Roos, Interpretation of the electronic absorption spectrum of free base porphin by using multiconfigurational second-order perturbation theory 295 (1998) 195

Seta, P., see Lamrabte, A. 295 (1998) 257

Sinnott, S.B., see Garg, A. 295 (1998) 273

Sivanesan, D., see Subramanian, V. 295 (1998) 312

Sluyts, E.J., see Herrebout, W.A. 295 (1998) 223

Soldán, P., see Lee, E.P.F. 295 (1998) 354

Stolov, A.A., see Herrebout, W.A. 295 (1998) 223

Strasser, J., H. Yersin and H.H. Patterson, Effect of high pressure on the emission spectrum of single crystals of Tl[Au(CN)₂] 295 (1998) 95

Subramanian, V., D. Sivanesan and T. Ramasami, Electronic structure of Ne-H-Cl and Ne-Cl-H using the G1, G2 and MP4 methods 295 (1998) 312

Sugawara, M., Adaptive basis set for quantum mechanical calculation based on hierarchical finite element method 295 (1998) 423

Sullivan, R.H., see Jabalameli, A. 295 (1998) 135

Suzuki, S., see Ishihara, S. 295 (1998) 475

Szichman, H., see Varandas, A.J.C. 295 (1998) 113

Tachiya, M., see Hilczer, M. 295 (1998) 337

Takanashi, H., see Ohkata, Y. 295 (1998) 17

Tang, K.T., see Johann, C. 295 (1998) 158

Tang, K.T., see Patil, S.H. 295 (1998) 152

Tanimura, Y., see Okumura, K. 295 (1998) 298

Tanner, D.B., see Kamarás, K. 295 (1998) 279

Tatewaki, H., On the location of p_{π} holes in a high- T_C $\text{YBa}_2\text{Cu}_3\text{O}_7$ superconductor 295 (1998) 399

Taylor, R., A. Pénicaud and N.J. Tower, Matrix isolation of fullerene-derived CO_2 at ambient temperature 295 (1998) 481

Taylor, T.R., see Asmis, K.R. 295 (1998) 75

Thiel, W., see Filatov, M. 295 (1998) 467

Toennies, J.P., see Johann, C. 295 (1998) 158

Tokumura, K., K. Nagaosa, Y. Ohta and R. Matsushima, Temperature-dependent tautomer fluorescence spectra of 3',4'-benzo-2'-hydroxychalcone: direct evidence for photoenolization followed by $Z \rightarrow E$ isomerization in the singlet manifold 295 (1998) 516

Tower, N.J., see Taylor, R. 295 (1998) 481

Tsai, C.-S., C.-E. Lin, J.-C. Lin and J.-K. Wang, Vibrational dephasing dynamics of the hydrogenated Si(100)-2 \times 1 surface revisited: multi-mode dephasing model 295 (1998) 509

Tsukuda, T., M. Saeki, L. Zhu and T. Nagata, Formation of N_3O_3^- anion in $(\text{NO})_n^-$: photoelectron spectroscopy and ab initio calculations 295 (1998) 416

Tsunoi, T., see Ohkata, Y. 295 (1998) 17

Tuckett, R.P., see Jarvis, G.K. 295 (1998) 145

Tufeu, R., see Monticone, S. 295 (1998) 237

Vaara, J., see Minaev, B. 295 (1998) 455

Vahtras, O., see Minaev, B. 295 (1998) 455

Van der Auweraer, M., see Latterini, L. 295 (1998) 11

Van der Veken, B.J., see Herrebout, W.A. 295 (1998) 223

Van Oosten, A.B. and F. Mila, Ab initio determination of exchange integrals and Néel temperature in the chain cuprates 295 (1998) 359

Varandas, A.J.C. and H. Szichman, A three-dimensional quantum mechanical study of the $\text{O} + \text{HO}_2$ atmospheric reaction: infinite-order sudden approximation and novel adiabatic approaches vs. quasiclassical trajectories 295 (1998) 113

Vaval, N., see Basu Kumar, A. 295 (1998) 189

Venkatraman, R., see Jabalameli, A. 295 (1998) 135

V. Kopylow, A. and D. Kolb, Accurate finite-element multi-grid (FEM-MG) description for angular momentum and spin dependences of Kohn-Sham density functionals for axially restricted calculations on first-row atoms and dimers 295 (1998) 439

Waclawik, E.R., A.C. Legon and J.H. Holloway, Rotational spectrum of the nitrogen trifluoride-chlorine monofluoride complex and the inductive effect of groups $\text{R} = \text{CH}_3$, H , F on $\text{R}_3\text{N}/\text{ClF}$ interactions 295 (1998) 289

Walther, C., see Rousseau, R. 295 (1998) 41

Wang, J. and L. Holmlid, Planar clusters of Rydberg matter K_N ($N = 7, 14, 19, 37, 61$) detected by multiphoton fragmentation time-of-flight mass spectrometry 295 (1998) 500

Wang, J.-K., see Tsai, C.-S. 295 (1998) 509

Wang, Y.A., see Govind, N. 295 (1998) 129

Weber, S.E., B.V. Reddy, B.K. Rao and P. Jena, Chemically induced changes in the magnetic moments in transition metal monomers and dimers 295 (1998) 175

Weisman, R.B., see Samuels, D.A. 295 (1998) 105

Werncke, W., see Pfeiffer, M. 295 (1998) 56

Winnewisser, M., see Koput, J. 295 (1998) 462

Wright, T.G., see Lee, E.P.F. 295 (1998) 354

Wyatt, R.E., see Minehardt, T.J. 295 (1998) 373

Yamaguchi, K., see Nakano, M. 295 (1998) 317
Yamaguchi, K., see Nakano, M. 295 (1998) 328
Yamaoka, H., H. Matsuoka, K. Kago, H. Endo, J. Eckelt and R. Yoshitome, Monolayer
X-ray reflectometry at the air–water interface 295 (1998) 245
Yamazaki, T., Y. Aoki and A. Imamura, A method for calculating electric dipole transition
moments using small configuration interaction spaces based on the concept of interac-
tion frontier orbitals 295 (1998) 431
Yersin, H., see Strasser, J. 295 (1998) 95
Yoshitome, R., see Yamaoka, H. 295 (1998) 245

Zewail, A.H., see Møller, K.B. 295 (1998) 1
Zhabotinsky, A.M., see Kurin-Csörgei, K. 295 (1998) 70
Zhu, L., see Tsukuda, T. 295 (1998) 416
Ziherl, P., R. Podgornik and S. Žumer, Casimir force in liquid crystals close to the
nematic–isotropic phase transition 295 (1998) 99
Žumer, S., see Ziherl, P. 295 (1998) 99